

§ 208.11 Regulations for use of storage allocated for flood control or navigation and/or project operation at reservoirs subject to prescription of rules and regulations by the Secretary of the Army in the interest of flood control and navigation.

(a) *Purpose.* This regulation prescribes the responsibilities and general procedures for regulating reservoir projects capable of regulation for flood control or navigation and the use of storage allocated for such purposes and provided on the basis of flood control and navigation, except projects owned and operated by the Corps of Engineers; the International Boundary and Water Commission, United States and Mexico; and those under the jurisdiction of the International Joint Commission, United States, and Canada, and the Columbia River Treaty. The intent of this regulation is to establish an understanding between project owners, operating agencies, and the Corps of Engineers.

(b) *Responsibilities.* The basic responsibilities of the Corps of Engineers regarding project operation are set out in the cited authority and described in the following paragraphs:

(1) Section 7 of the Flood Control Act of 1944 (58 Stat. 890, 33 U.S.C. 709) directs the Secretary of the Army to prescribe regulations for flood control and navigation in the following manner:

Hereafter, it shall be the duty of the Secretary of War to prescribe regulations for the use of storage allocated for flood control or navigation at all reservoirs constructed wholly or in part with Federal funds provided on the basis of such purposes, and the operation of any such project shall be in accordance with such regulations: *Provided*, That this section shall not apply to the Tennessee Valley Authority, except that in case of danger from floods on the lower Ohio and Mississippi Rivers the Tennessee Valley Authority is directed to regulate the release of water from the Tennessee River into the Ohio River in accordance with such instructions as may be issued by the War Department.

(2) Section 9 of Public Law 436-83d Congress (68 Stat. 303) provides for the development of the Coosa River, Alabama and Georgia, and directs the Secretary of the Army to prescribe rules and regulations for project operation in

the interest of flood control and navigation as follows:

The operation and maintenance of the dams shall be subject to reasonable rules and regulations of the Secretary of the Army in the interest of flood control and navigation.

NOTE: This Regulation will also be applicable to dam and reservoir projects operated under provisions of future legislative acts wherein the Secretary of the Army is directed to prescribe rules and regulations in the interest of flood control and navigation. The Chief of Engineers, U.S. Army Corps of Engineers, is designated the duly authorized representative of the Secretary of the Army to exercise the authority set out in the Congressional Acts. This Regulation will normally be implemented by letters of understanding between the Corps of Engineers and project owner and will incorporate the provisions of such letters of understanding prior to the time construction renders the project capable of significant impoundment of water. A water control agreement signed by both parties will follow when deliberate impoundment first begins or at such time as the responsibilities of any Corps-owned projects may be transferred to another entity. Promulgation of this Regulation for a given project will occur at such time as the name of the project appears in the FEDERAL REGISTER in accordance with the requirements of paragraph 6k. When agreement on a water control plan cannot be reached between the Corps and the project owner after coordination with all interested parties, the project name will be entered in the FEDERAL REGISTER and the Corps of Engineers plan will be the official water control plan until such time as differences can be resolved.

(3) Federal Energy Regulatory Commission (FERC), formerly Federal Power Commission (FPC), Licenses.

(i) Responsibilities of the Secretary of the Army and/or the Chief of Engineers in FERC licensing actions are set forth in reference 3c above and pertinent sections are cited herein. The Commission may further stipulate as a licensing condition, that a licensee enter into an agreement with the Department of the Army providing for operation of the project during flood times, in accordance with rules and regulations prescribed by the Secretary of the Army.

(A) Section 4(e) of the Federal Power Act requires approval by the Chief of Engineers and the Secretary of the Army of plans of dams or other structures affecting the navigable capacity of any navigable waters of the United

States, prior to issuance of a license by the Commission as follows:

The Commission is hereby authorized and empowered to issue licenses to citizens * * * for the purpose of constructing, operating and maintaining dams, water conduits, reservoirs, powerhouses, transmission lines, or other project works necessary or convenient for the development and improvement of navigation and for the development, transmission, and utilization of power across, along, from or in any of the streams or other bodies of water over which Congress has jurisdiction * * * *Provided further*, That no license affecting the navigable capacity of any navigable waters of the United States shall be issued until the plans of the dam or other structures affecting navigation have been approved by the Chief of Engineers and the Secretary of the Army.

(B) Sections 10(a) and 10(c) of the Federal Power Act specify conditions of project licenses including the following:

(1) *Section 10(a)*. “That the project adopted * * * shall be such as in the judgment of the Commission will be best adapted to a comprehensive plan for improving or developing a waterway or waterways for the use or benefit of interstate or foreign commerce, for the improvement and utilization of waterpower development, and for other beneficial public uses * * *.”

(2) *Section 10(c)*. “That the licensee shall * * * so maintain and operate said works as not to impair navigation, and shall conform to such rules and regulations as the Commission may from time to time prescribe for the protection of life, health, and property * * *.”

(C) Section 18 of the Federal Power Act directs the operation of any navigation facilities built under the provision of that Act, be controlled by rules and regulations prescribed by the Secretary of the Army as follows:

The operation of any navigation facilities which may be constructed as part of or in connection with any dam or diversion structure built under the provisions of this Act, whether at the expense of a licensee hereunder or of the United States, shall at all times be controlled by such reasonable rules and regulations in the interest of navigation; including the control of the pool caused by such dam or diversion structure as may be made from time to time by the Secretary of the Army, * * *.

(ii) Federal Power Commission Order No. 540 issued October 31, 1975, and published November 7, 1975 (40 FR 51998), amending §2.9 of the Commission's General Policy and Interpretations prescribed Standardized Conditions (Forms) for Inclusion in Preliminary Permits and Licenses Issued Under part I of the Federal Power Act. As an example, Article 12 of Standard Form L-3, titled: “Terms and Conditions of License for Constructed Major Projects Affecting Navigable Waters of the United States,” sets forth the Commission's interpretation of appropriate sections of the Act, which deal with navigation aspects, and attendant responsibilities of the Secretary of the Army in licensing actions as follows:

The United States specifically retains and safeguards the right to use water in such amount, to be determined by the Secretary of the Army, as may be necessary for the purposes of navigation on the navigable waterway affected; and the operations of the Licensee, so far as they affect the use, storage and discharge from storage of waters affected by the license, shall at all times be controlled by such reasonable rules and regulations as the Secretary of the Army may prescribe in the interest of navigation, and as the Commission may prescribe for the protection of life, health, and property, * * * and the Licensee shall release water from the project reservoir at such rate * * * as the Secretary of the Army may prescribe in the interest of navigation, or as the Commission may prescribe for the other purposes hereinbefore mentioned.

(c) *Scope and terminology*. This regulation applies to Federal authorized flood control and/or navigation storage projects, and to non-Federal projects which require the Secretary of the Army to prescribe regulations as a condition of the license, permit or legislation, during the planning, design and construction phases, and throughout the life of the project. In compliance with the authority cited above, this regulation defines certain activities and responsibilities concerning water control management throughout the Nation in the interest of flood control and navigation. In carrying out the conditions of this regulation, the owner and/or operating agency will comply with applicable provisions of Pub. L. 85-624, the Fish and Wildlife Coordination Act of 1958, and Pub. L.

92-500, the Federal Water Pollution Control Act Amendments of 1972. This regulation does not apply to local flood protection works governed by § 208.10, or to navigation facilities and associated structures which are otherwise covered by part 207 (Navigation Regulations) of title 33 of the code. Small reservoirs, containing less than 12,500 acre-feet of flood control or navigation storage, may be excluded from this regulation and covered under § 208.10, unless specifically required by law or conditions of the license or permit.

(1) The terms *reservoir* and *project* as used herein include all water resource impoundment projects constructed or modified, including natural lakes, that are subject to this regulation.

(2) The term *project owner* refers to the entity responsible for maintenance, physical operation, and safety of the project, and for carrying out the water control plan in the interest of flood control and/or navigation as prescribed by the Corps of Engineers. Special arrangements may be made by the project owner for "operating agencies" to perform these tasks.

(3) The term *letter of understanding* as used herein includes statements which consummate this regulation for any given project and define the general provisions or conditions of the local sponsor, or owner, cooperation agreed to in the authorizing legislative document, and the requirements for compliance with section 7 of the 1944 Flood Control Act, the Federal Power Act or other special congressional act. This information will be specified in the water control plan and manual. The letter of understanding will be signed by a duly authorized representative of the Chief of Engineers and the project owner. A "field working agreement" may be substituted for a letter of understanding, provided that the specified minimum requirements of the latter, as stated above, are met.

(4) The term *water control agreement* refers to a compilation of water control criteria, guidelines, diagrams, release schedules, rule curves and specifications that basically govern the use of reservoir storage space allocated for flood control or navigation and/or release functions of a water control project for these purposes. In general,

they indicate controlling or limiting rates of discharge and storage space required for flood control and/or navigation, based on the runoff potential during various seasons of the year.

(5) For the purpose of this regulation, the term *water control plan* is limited to the plan of regulation for a water resources project in the interest of flood control and/or navigation. The water control plan must conform with proposed allocations of storage capacity and downstream conditions or other requirements to meet all functional objectives of the particular project, acting separately or in combination with other projects in a system.

(6) The term *real-time* denotes the processing of current information or data in a sufficiently timely manner to influence a physical response in the system being monitored and controlled. As used herein the term connotes * * * the analyses for and execution of water control decisions for both minor and major flood events and for navigation, based on prevailing hydrometeorological and other conditions and constraints, to achieve efficient management of water resource systems.

(d) *Procedures*—(1) *Conditions during project formulation.* During the planning and design phases, the project owner should consult with the Corps of Engineers regarding the quantity and value of space to reserve in the reservoir for flood control and/or navigation purposes, and for utilization of the space, and other requirements of the license, permit or conditions of the law. Relevant matters that bear upon flood control and navigation accomplishment include: Runoff potential, reservoir discharge capability, downstream channel characteristics, hydrometeorological data collection, flood hazard, flood damage characteristics, real estate acquisition for flowage requirements (fee and easement), and resources required to carry out the water control plan. Advice may also be sought on determination of and regulation for the probable maximum or other design flood under consideration by the project owner to establish the quantity of surcharge storage space, and freeboard elevation of top of dam

or embankment for safety of the project.

(2) *Corps of Engineers involvement.* If the project owner is responsible for real-time implementation of the water control plan, consultation and assistance will be provided by the Corps of Engineers when appropriate and to the extent possible. During any emergency that affects flood control and/or navigation, the Corps of Engineers may temporarily prescribe regulation of flood control or navigation storage space on a day-to-day (real-time) basis without request of the project owner. Appropriate consideration will be given for other authorized project functions. Upon refusal of the project owner to comply with regulations prescribed by the Corps of Engineers, a letter will be sent to the project owner by the Chief of Engineers or his duly authorized representative describing the reason for the regulations prescribed, events that have transpired, and notification that the project owner is in violation of the Code of Federal Regulations. Should an impasse arise, in that the project owner or the designated operating entity persists in noncompliance with regulations prescribed by the Corps of Engineers, measures may be taken to assure compliance.

(3) *Corps of Engineers implementation of real-time water control decisions.* The Corps of Engineers may prescribe the continuing regulation of flood control storage space for any project subject to this regulation on a day-to-day (real-time) basis. When this is the case, consultation and assistance from the project owner to the extent possible will be expected. Special requests by the project owner, or appropriate operating entity, are preferred before the Corps of Engineers offers advice on real-time regulation during surcharge storage utilization.

(4) *Water control plan and manual.* Prior to project completion, water control managers from the Corps of Engineers will visit the project and the area served by the project to become familiar with the water control facilities, and to insure sound formulation of the water control plan. The formal plan of regulation for flood control and/or navigation, referred to herein as the

water control plan, will be developed and documented in a water control manual prepared by the Corps of Engineers. Development of the manual will be coordinated with the project owner to obtain the necessary pertinent information, and to insure compatibility with other project purposes and with surcharge regulation. Major topics in the manual will include: Authorization and description of the project, hydrometeorology, data collection and communication networks, hydrologic forecasting, the water control plan, and water resource management functions, including responsibilities and coordination for water control decision-making. Special instructions to the dam tender or reservoir manager on data collection, reporting to higher Federal authority, and on procedures to be followed in the event of a communication outage under emergency conditions, will be prepared as an exhibit in the manual. Other exhibits will include copies of this regulation, letters of understanding consummating this regulation, and the water control agreements. After approval by the Chief of Engineers or his duly authorized representative, the manual will be furnished the project owner.

(5) *Water control agreement.* (i) A water control diagram (graphical) will be prepared by the Corps of Engineers for each project having variable space reservation for flood control and/or navigation during the year; e.g., variable seasonal storage, joint-use space, or other rule curve designation. Reservoir inflow parameters will be included on the diagrams when appropriate. Concise notes will be included on the diagrams prescribing the use of storage space in terms of release schedules, runoff, nondamaging or other controlling flow rates downstream of the damsite, and other major factors as appropriate. A water control release schedule will be prepared in tabular form for projects that do not have variable space reservation for flood control and/or navigation. The water control diagram or release schedule will be signed by a duly authorized representative of the Chief of Engineers, the project owner, and the designated operating agency, and will be used as the basis for carrying out this regulation.

Each diagram or schedule will contain a reference to this regulation.

(ii) When deemed necessary by the Corps of Engineers, information given on the water control diagram or release schedule will be supplemented by appropriate text to assure mutual understanding on certain details or other important aspects of the water control plan not covered in this regulation, on the water control diagram or in the release schedule. This material will include clarification of any aspects that might otherwise result in unsatisfactory project performance in the interest of flood control and/or navigation. Supplementation of the agreement will be necessary for each project where the Corps of Engineers exercises the discretionary authority to prescribe the flood control regulation on a day-to-day (real-time) basis. The agreement will include delegation of the responsibility. The document should also cite, as appropriate, section 7 of the 1944 Flood Control Act, the Federal Power Act and/or other congressional legislation authorizing construction and/or directing operation of the project.

(iii) All flood control regulations published in the FEDERAL REGISTER under this section (part 208) of the code prior to the date of this publication which are listed in § 208.11(e) are hereby superseded.

(iv) Nothing in this regulation prohibits the promulgation of specific regulations for a project in compliance with the authorizing acts, when agreement on acceptable regulations cannot be reached between the Corps of Engineers and the owner.

(6) *Hydrometeorological instrumentation.* The project owner will provide instrumentation in the vicinity of the damsite and will provide communication equipment necessary to record and transmit hydrometeorological and reservoir data to all appropriate Federal authorities on a real-time basis unless there are extenuating circumstances or are otherwise provided for as a condition of the license or permit. For those projects where the owner retains responsibility for real-time implementation of the water control plan, the owner will also provide or arrange for the measurement and reporting of hydrometeorological parameters re-

quired within and adjacent to the watershed and downstream of the damsite, sufficient to regulate the project for flood control and/or navigation in an efficient manner. When data collection stations outside the immediate vicinity of the damsite are required, and funds for installation, observation, and maintenance are not available from other sources, the Corps of Engineers may agree to share the costs for such stations with the project owner. Availability of funds and urgency of data needs are factors which will be considered in reaching decisions on cost sharing.

(7) *Project safety.* The project owner is responsible for the safety of the dam and appurtenant facilities and for regulation of the project during surcharge storage utilization. Emphasis upon the safety of the dam is especially important in the event surcharge storage is utilized, which results when the total storage space reserved for flood control is exceeded. Any assistance provided by the Corps of Engineers concerning surcharge regulation is to be utilized at the discretion of the project owner, and does not relieve the owner of the responsibility for safety of the project.

(8) *Notification of the general public.* The Corps of Engineers and other interested Federal and State agencies, and the project owner will jointly sponsor public involvement activities, as appropriate, to fully apprise the general public of the water control plan. Public meetings or other effective means of notification and involvement will be held, with the initial meeting being conducted as early as practicable but not later than the time the project first becomes operational. Notice of the initial public meeting shall be published once a week for 3 consecutive weeks in one or more newspapers of general circulation published in each county covered by the water control plan. Such notice shall also be used when appropriate to inform the public of modifications in the water control plan. If no newspaper is published in a county, the notice shall be published in one or more newspapers of general circulation within that county. For the purposes of this section a newspaper is one qualified to publish public notices under applicable State law. Notice

shall be given in the event significant problems are anticipated or experienced that will prevent carrying out the approved water control plan or in the event that an extreme water condition is expected that could produce severe damage to property or loss of life. The means for conveying this information shall be commensurate with the urgency of the situation. The water control manual will be made available for examination by the general public upon request at the appropriate office of the Corps of Engineers, project owner or designated operating agency.

(9) *Other generalized requirements for flood control and navigation.* (i) Storage space in the reservoirs allocated for flood control and navigation purposes shall be kept available for those purposes in accordance with the water control agreement, and the plan of regulation in the water control manual.

(ii) Any water impounded in the flood control space defined by the water control agreement shall be evacuated as rapidly as can be safely accomplished without causing downstream flows to exceed the controlling rates; *i.e.*, releases from reservoirs shall be restricted insofar as practicable to quantities which, in conjunction with uncontrolled runoff downstream of the dam, will not cause water levels to exceed the controlling stages currently in force. Although conflicts may arise with other purposes, such as hydro-power, the plan or regulation may require releases to be completely curtailed in the interest of flood control or safety of the project.

(iii) Nothing in the plan of regulation for flood control shall be construed to require or allow dangerously rapid changes in magnitudes of releases. Releases will be made in a manner consistent with requirements for protecting the dam and reservoir from major damage during passage of the maximum design flood for the project.

(iv) The project owner shall monitor current reservoir and hydro-meteorological conditions in and adjacent to the watershed and downstream of the damsite, as necessary. This and any other pertinent information shall be reported to the Corps of Engineers on a timely basis, in accordance with standing instructions to the damtender or

other means requested by the Corps of Engineers.

(v) In all cases where the project owner retains responsibility for real-time implementation of the water control plan, he shall make current determinations of: Reservoir inflow, flood control storage utilized, and scheduled releases. He shall also determine storage space and releases required to comply with the water control plan prescribed by the Corps of Engineers. The owner shall report this information on a timely basis as requested by the Corps of Engineers.

(vi) The water control plan is subject to temporary modification by the Corps of Engineers if found necessary in time of emergency. Requests for and action on such modifications may be made by the fastest means of communication available. The action taken shall be confirmed in writing the same day to the project owner and shall include justification for the action.

(vii) The project owner may temporarily deviate from the water control plan in the event an immediate short-term departure is deemed necessary for emergency reasons to protect the safety of the dam, or to avoid other serious hazards. Such actions shall be immediately reported by the fastest means of communication available. Actions shall be confirmed in writing the same day to the Corps of Engineers and shall include justification for the action. Continuation of the deviation will require the express approval of the Chief of Engineers, or his duly authorized representative.

(viii) Advance approval of the Chief of Engineers, or his duly authorized representative, is required prior to any deviation from the plan of regulation prescribed or approved by the Corps of Engineers in the interest of flood control and/or navigation, except in emergency situations provided for in paragraph (d)(9)(vii) of this section. When conditions appear to warrant a prolonged deviation from the approved plan, the project owner and the Corps of Engineers will jointly investigate and evaluate the proposed deviation to insure that the overall integrity of the plan would not be unduly compromised. Approval of prolonged deviations will not be granted unless such

investigations and evaluations have been conducted to the extent deemed necessary by the Chief of Engineers, or his designated representatives, to fully substantiate the deviation.

(10) *Revisions.* The water control plan and all associated documents will be revised by the Corps of Engineers as necessary, to reflect changed conditions that come to bear upon flood control and navigation, e.g., reallocation of reservoir storage space due to sedimentation or transfer of storage space to a neighboring project. Revision of the water control plan, water control agreement, water control diagram, or release schedule requires approval of the Chief of Engineers or his duly authorized representative. Each such revision shall be effective upon the date specified in the approval. The original (signed document) water control agreement shall be kept on file in the respective Office the Division Engineer, Corps of Engineers, Department of the Army, located at division offices throughout the continental USA. Copies of these agreements may be obtained from the office of the project owner, or from the office of the appropriate Division Engineer, Corps of Engineers.

(11) *Federal Register.* The following information for each project subject to

section 7 of the 1944 Flood Control Act and other applicable congressional acts shall be published in the FEDERAL REGISTER prior to the time the projects become operational and prior to any significant impoundment before project completion or * * * at such time as the responsibility for physical operation and maintenance of the Corps of Engineers owned projects is transferred to another entity:

- (i) Reservoir, dam, and lake names,
 - (ii) Stream, county, and State corresponding to the damsite location,
 - (iii) The maximum current storage space in acre-feet to be reserved exclusively for flood control and/or navigation purposes, or any multiple-use space (intermingled) when flood control or navigation is one of the purposes, with corresponding elevations in feet above mean sea level, and area in acres, at the upper and lower limits of said space,
 - (iv) The name of the project owner, and
 - (v) Congressional legislation authorizing the project for Federal participation.
- (e) *List of projects.* The following tables, "Pertinent Project Data—Section 208.11 Regulation," show the pertinent data for projects which are subject to this regulation.

LIST OF PROJECTS
[Non-Corps projects with Corps Regulation Requirements]

Project name ¹ (1)	State (2)	County (3)	Stream ¹ (4)	Project purpose ² (5)	Storage 1000 AF (6)	Elev limits feet M.S.L.		Area in acres		Authorizing legis. ³ (11)	Proj. owner ⁴ (12)
						Upper (7)	Lower (8)	Upper (9)	Lower (10)		
Agency Valley Dam & Res	OR	Malheur	N Fork Malheur R.	FICR	60.0	3340.0	3263.0	1900	0	PL 68-292	USBR.
Alpine Dam	IL	Winnebago	Keith Cr	F	0.6	796.0	760.0	52	0	PWA Proj	Rkfd, IL.
Altus Dam & Res	OK	Jackson	N Fork Red R	F	19.6	1562.0	1559.0	6800	6260	PL 761	USBR.
Anderson Ranch Dam & Res.	ID	Elmore	S Fk Boise R	IMR	132.6	1559.0	1517.5P	6260	735	Act of 1939 53 Stat 1187.	USBR.
Arbuckle Dam & Res	OK	Murray	Rock Cr	F	423.2	4196.0	4039.6	4740	1150	PL 594	USBR.
Arrowrock Dam & Res	ID	Elmore	Boise R	MRC	36.4	885.3	872.0	3130	2350	Act of 1902 32 Stat 388.	USBR.
Bear Cr Dam	MO	Marion Ralls	Bear Cr	F	62.5	872.0	827.0	2350	606	PL 83-780	Hnbl. MO.
Bear Swamp Fife Brook (Lo).	MA	Franklin	Deerfield R	E	286.6	3216.0	2974.0	3100	200	FERC 2669	NEPC.
Bear Swamp PS (Upper)	MA	Franklin	Deerfield R Trib	E	8.7	546.5	520.0	540	0	Fed Pwr Act	NEPC.
Belhows Falls Dam & Lk	VT	Cheshire	Connecticut R	E	6.9	870.0	830.0	152	115	FERC 1885	NEPC.
Big Dry Creek and Div	CA	Fresno	Big Dry Cr & Dog Cr.	F	7.5	291.6	273.6	2804	836	PL 77-228	Rclm, B CA.
Blue Mesa Dam & Res	CO	Gunnison	Gunnison R	FER	16.2	425.0	393.0	1530	0	PL 84-485	USBR.
Boca Dam & Res	CA	Nevada	Little Truckee R	I	748.5	7519.4	7393.0	9180	2790	PL 61-289	USBR.
Bonny Dam & Res	CO	Yuma	S Fork Republic R.	FI	32.8	5596.5	5521.0	873	52	PL 68-292	USBR.
Boysen Dam & Res	WY	Fremont	Wild R	F	8.0	5605.0	5596.0	980	873	PL 78-534	USBR.
Brantley Dam & Res	NM	Eddy	Pecos R	ICR	128.2	3710.0	3672.0	5036	2042	PL 79-732	USBR.
Brownlee Dam & Res	OR	Baker	Snake R	F	39.2	3672.0	3638.0	2042	331	PL 78-534	USBR.
Bully Cr Dam & Res	ID	Washington	Bully Cr	FEIQ	150.4	4732.2	4725.0	22170	19560	PL 78-534	USBR.
Camanche Dam & Res	CA	San Joaquin	Mokelumne R	EIQ	146.1	4725.0	4717.0	19560	16960	PL 92-515	USBR.
Canyon Ferry Dam & Lk	MT	Lewis Clark	Missouri R	FIRQ	403.8	4717.0	4685.0	16960	9280	FERC No 1971-C	ID Pwr.
Cedar Bluff Dam & Res	KS	Trego	Smoky Hill R	FI	31.6	2516.0	2456.8	1082	140	PL 86-248	USBR.
Cheney Dam & Res	KS	Sedgwick	N Fork Minnescah R.	FRIE	200.0	235.5	205.1	7600	5507	PL 86-645	EB-MUD.
				RIE	230.9	205.1	92.0	5507	0	PL 78-534	USBR.
				F	99.5	3800.0	3797.0	33535	32800	PL 78-534	USBR.
				FEI	795.1	3797.0	3770.0	32800	24125	PL 78-534	USBR.
				EI	711.5	3770.0	3728.0	24125	11480	PL 78-534	USBR.
				F	191.9	2166.0	2144.0	10790	6869	PL 78-534	USBR.
				MC	149.8	2144.0	2107.8	6869	2086	PL 86-787	USBR.
					80.9	1429.9	1421.6	9540	1970		
					151.8	1392.9	9540	1970	0		
					0.0	0.0	0.0	0	0		

Corps of Engineers, Dept. of the Army, DoD

\$ 208.11

Clark Canyon Dam & Res ..	MT	Beaverhead	Beaverhead R	F	79.1	5560.4	5546.1	5900	5160	5160	PL 78-534	USBR.
				FI	50.4	5546.1	5535.7	5160	4495	4495		
Del Valle Dam & Res	CA	Alameda	Alameda Cr	I	126.1	535.7	5470.6	4495	220	710	PL 87-874	DWR.
				F	37.0	745.0	703.1	1060	700	710		CA.
Don Pedro Dam & Lk	CA	Tuolumne	Tuolumne R	FIM	1.0	703.1	702.2	700	275	700	PL 78-534	M&T.
				FIER	29.0	702.2	635.0	700	11260	3520		Irr.
East Canyon Dam & Res ..	UT	Morgan	East Canyon Cr	EIR	340.0	830.0	802.0	12900	11260	3520	PL 81-273	USBR.
Echo Dam & Res	UT	Summit	Weber R	FEIM	1381.0	802.0	600.0	11260	130	130	PL 81-83	USBR.
Emigrant Dam & Res	OR	Jackson	Emigrant Cr	FEIM	308.0	600.0	342.0	3520	0	0	PL 83-606	USBR.
Enders Dam & Res	NE	Chase	Frenchman Cr	FIR	74.0	5560.0	2131.5	1455	80	80	PL 78-534	USBR.
Folsom Dam & Lk	CA	Sacramento	American R	F	39.0	2241.0	3112.3	2405	1707	658	PL 84-505	USBR.
Fort Cobb Dam & Res	OK	Caddo	Pond (Cobb) Cr	ICR	30.0	3127.0	3082.4	1707	9040	9040	PL 419	USBR.
Foss Dam & Res	OK	Custer	Washita R	FEIM	34.5	3112.3	427.0	11450	4100	337	PL 419	USBR.
Friant Dam & Millerton Lk ..	CA	Fresno	San Joaquin R ..	EIM	400.0	466.0	210.0	9040	8800	1360	PL 75-392	USBR.
Galesville Dam	OR	Douglas	Cow Cr	FEIM	610.0	427.0	210.0	9040	2101	150	PL 76-868	Dgls. CO.
Gaston Dam & Res	NC	Halifax	Roanoke R	FEIMCR	42.2	1881.5	1780.0	760	20300	20300	FERC No. 71	VA Pwr.
Glen Elder Dam & Waconda Lk.	KS	Northampton	Solomon R	FE	63.0	203.0	200.0	22500	12602	3341	Fed Pwr Act	USBR.
Glendo Dam & Res	WY	Platte	N Platte R	F	722.3	1488.3	1455.6	33682	12602	12370	PL 78-534	USBR.
Grand Coulee Dam & FDR Lk.	WA	Okanogan Grant	Columbia R	IM	204.8	1455.6	1428.0	12602	3341	3130	PL 79-526	USBR.
H Neely Henry Dam & Res	AL	Calhoun St. Clair	Coosa R	F	271.9	4853.0	4635.0	17990	12370	45592	PL 89-561	USBR.
Harris Dam & Res	AL	Randolph	Tallapoosa R ..	EIM	5185.5	1290.0	1208.0	82280	7632	9012	PL 83-436	AL Pwr.
Heart Butte Dm & Lk	ND	Grant	Heart R	FE	49.7	508.0	502.5	11235	7632	3400	PL 89-789	AL Pwr.
Tschida.	OR	Wallowa	Snake R	F	215.0	793.0	785.0	10661	810	810	PL 78-534	USBR.
Hells Canyon Dam & Res ..	ID	Adams	Snake R	IQ	147.9	2094.5	2064.5	6580	2300	2280	FERC No 1971-A ..	ID Pwr.
Hoover Dam & Lk Mead	NV	Clark Mohave	Colorado R	EN	69.0	2064.5	2030.0	3400	1683.0	162700	PL 70-642	USBR.
Hungry Horse Dam & Res ..	AZ	Clark Mohave	S Fork Flathead R.	F	1500.0	1229.0	1219.6	162700	156500	83500	PL 78-329	USBR.
Indian Valley Dam & Res ..	MT	Flathead	N Fork Cache Cr	FEIMCAR	15.8	1219.6	1083.0	23800	3734	308	PL 84-984	Yolo FC&W.
Jamestown Dam & Res	CA	Lake	James R	FEI	2982.0	3560.0	3336.0	23800	3734	2090	PL 78-534	USBR.
Jocassee Dam & Res	ND	Stutsman	Keowee R	FIMR	40.0	1485.0	1474.0	3975	1474.0	160	FERC 2503	USBR Pwr.
Keowee Dam & Lk	SC	Pickens	Keowee R	IMR	260.0	1474.0	1334.0	3734	308	6815	FERC 2503	Duke Pwr.
Kerr Dam Flathead Lk	MT	Lake	Flathead R	F	185.4	1454.0	1429.8	13210	2090	18372	FERC No 5	MT Pwr.

LIST OF PROJECTS—Continued
[Non-Corps projects with Corps Regulation Requirements]

Project name ¹ (1)	State (2)	County (3)	Stream ¹ (4)	Project purpose ² (5)	Storage 1000 AF (6)	Elev limits feet M.S.L.		Area in acres		Authorizing legis. ³ (11)	Proj. owner ⁴ (12)
						Upper (7)	Lower (8)	Upper (9)	Lower (10)		
Kerr Dam & Lk Hudson (Markham Ferry Project). Keyhole Dam & Res	OK	Mayes	Grand Neosho R	F	244.2 48.6	636.0 619.0	619.0 599.0	18800 10900	10900 4500	PL 76–476	GRD Auth.
Kirwin Dam & Res	WY	Crook	Belle Fourche R	E	140.5 185.8	4111.5 4099.3	4099.3 4051.0	13730 9410	9410 820	PL 78–534	USBR.
Lake Kemp Dam & Res	KS	Phillips	N Fork Solomon R.	IQ	215.1 89.6	1757.3 1729.2	1729.3 1697.0	10640 5080	5080 1010	PL 78–534	USBR.
Leesville Dam & Res	TX	Wichita	Wichita R	ICR	234.9 268.0	1156.0 1144.0	1144.0 1114.0	23830 15590	15590 3350	PL 79–732; PL 79– 526.	WF&C. WID2.
Lemon Dam & Res	VA	Campbell Ptesylvania.	Roanoke R	MI	37.8	613.0	600.0	3235	2400	Fed Pwr Act	Appl Pwr.
Lewis M Smith Dam & Res	CO	La Plata	Florida R	EQ	39.0	8148.0	8023.0	622	62	PL 84–485	USBR.
Little Wood	AL	Walker Culman ..	Sipsey Fork; Black Warrior R.	FIM	280.6 394.3	522.0 510.0	510.0 488.0	25700 21200	21200 15097	Fed Pwr Act	AL Pwr.
Logan Martin Dam & Res ..	ID	Blain	Little Wood R	E	30.0	5237.3	5127.4	572	0	PL 84–993	USBR.
Los Banos Dam & Deten- tion.	CA	Talladega	Cossa R	F	245.3 67.0	477.0 465.0	465.0 460.0	26310 15263	15260 11887	PL 83–436	AL Pwr.
Los Banos Dam & Deten- tion Res.	CA	Merced	Los Banos Cr	R	20.6	327.8	231.2	467	0	USBR.
Lost Creek Dam & Res	CA	Merced	Los Banos Cr	F	14.0	353.5	327.8	619	467	PL 86–488	USBR.
Lovewell Dam & Res	UT	Morgan	Lost Cr	FEIM	20.0	6005.0	5912.0	365	93	PL 81–273	USBR.
Marshall Ford Dam & Res ..	KS	Jewell	White Rock Cr ..	F	50.5 24.9	1595.3 1582.6	1582.6 1571.7	5025 2986	2986 1704	PL 78–534	USBR.
Mayfield Dam & Res	TX	Travis	Colorado R	ICR	779.8 810.5	714.0 681.0	681.0 618.0	29060 18955	18955 8050	PL 79–732	LCRA.
McGee Creek Dam & Res	WA	Lewis	Cowlitz R	F	21.4	425.0	415.0	2250	2030	PL 73–392	LCRA.
Medicine Cr Dam Harry Strunk Lk.	OK	Aloka	McGee Cr	NEIM	85.3 108.0	595.5 577.1	577.1 515.1	5540 3810	3810 370	FPC No 2016–A	Tac WN.
Mossyrock Dam Davison Lk.	NE	Frontier	Medicine Cr	F	52.7 26.8	2386.2 2366.1	2366.1 2343.0	3483 1840	701	PL 94–423	USBR.
Mt Park Dam Tom Steed Res.	WA	Lewis	Cowlitz R	MCR	1397.0	778.5	600.0	11830	4250	PL 78–534	USBR.
Navajo Dam & Res	OK	Kiowa	W Otter Cr	ICR	20.3 89.0	1414.0 1386.3	1411.0 1366.3	7130 6400	6400 1270	PL 84–505	Tac WN
New Bullards Bar Dam & Res.	NM	San Juan	San Juan R	FER	1036.1	6085.0	5990.0	15610	7400	FERC No 2016–B ..	USBR.
	CA	Rio Arriba	Yuba R	FEIRQ	170.0	1956.0	1918.3	4809	4225	PL 84–485	YCWA.
		Yuba		EIMR	790.9	1918.3	1447.5	4225	129	PL 89–298	

Corps of Engineers, Dept. of the Army, DoD

\$ 208.11

New Exchequer Dam & Lk	CA	Tuolumne	Merced R	FEIR	400.0	867.0	799.7	7110	4849	PL 86-645	Mrcd, Irr.
				EIR	451.6	799.7	660.0	1900	1900		
New Melones Dam & Lk	CA	Tuolumne	Stanislaus R	FEIR	171.0	660.0	467.0	1900	150	PL 87-874	USBR.
		Calaveras		FEIR	450.0	1068.0	1049.5	12500	10900		
				IMR	1670.0	1049.5	808.0	10900	3500		
Northfield Mt (Up) PS	MA	Franklin	Connecticut	IMR	300.0	808.0	540.0	3500	0	FERC 1889	WMEC.
Norton Dam & Klieh	KS	Norton	Prairie Dog Cr	F	14.0	965.0	938.0	196	134	PL 78-534	USBR.
Sebellus Lk.				IMRC	98.8	2331.4	2304.3	5316	2181	PL 79-526	
					30.7	2304.3	2280.4	2181	587	PL 79-732	
Ochocho Dam & Res	OR	Crook	Ochocho Cr	FICR	52.5	3136.2	0.0	1130	130	PL 84-992	USBR.
Oroville Dam & Lk	CA	Butte	Feather R	FEIMAR	750.0	900.0	848.5	15800	13346	PL 85-500	CA.
				EIMAR	2788.0	848.5	210.0	13346	0		
Pactola Dam & Res	SD	Pennington	Rapid Cr	F	43.1	4621.5	4580.2	1230	860	PL 78-534	USBR.
				IM	55.0	4580.2	4456.1	860	100		
Palisades Dam & Res	ID	Bonneville	Snake R	FIE	1202.0	5820.0	5452.0	16100	2170	PL 81-864	USBR.
Paonia Dam & Res	CO	Gunnison	Muddy Cr	FIR	17.0	6477.5	6373.0	334	120	PL 80-177	USBR.
										PL 84-485	
Pensacola Dam Grand	OK	Mayes	Grand (Neosho)	F	525.0	755.0	745.0	59200	46500	PL 77-228	Grd. Auth.
Lake O' the Cherokees.			R.	E	1192.0	745.0	705.0	46500	17000		
Pineview Dam & Res	UT	Weber	Odgen R	FEIM	110.0	4900.0	4818.0	2874	0	PL 81-273	USBR.
Platoro Dam & Res	CO	Conejos	Conejos R	F	6.0	10034.0	10027.5	947	920	PL 76-640	USBR.
				IR	54.0	10027.5	9911.0	920	0		
Priest Rapids Dam & Res	WA	Grant	Columbia R	FER	44.0	488.0	481.5	7600	6500	FERC No 2114-A	Grnt. PUD.
Prineville Dam & Res	OR	Crook	Crooked R	FIRC	233.0	3257.9	3114.0	3937	140	PL-84-992	USBR.
Prosser Cr Dam & Res	CA	Nevada	Prosser Cr	C	8.6	5703.7	5661.0	334	86	PL 84-858	USBR.
				FC	20.0	5761.0	5703.7	745	334	PL 85-706	
Pueblo Dam & Res	CO	Pueblo	Arkansas R	F	93.0	4898.7	4880.5	5671	4840	PL 87-590	USBR.
				IR	261.4	4880.5	4764.0	4640	421		
Red Willow Dam Hugh But-	NE	Frontier	Red Willow Cr	F	48.9	2604.9	2581.8	2682	1629	PL 78-534	USBR.
ler Lk.				IRC	27.3	2581.8	2558.0	1629	787	PL 85-783	
										PL 84-505	
Ririe Dam & Res	ID	Bonneville	Willow Cr	FIRC	99.0	5119.0	5023.0	150	360	PL 87-874	USBR.
Roanoke Rapids Dam &	NC	Halifax	Roanoke R	EC	16.8	132.0	128.0	4600	4100	FPC 2009	VA, Pwr.
Res.											
Rocky Reach Dam Lk	WA	Chelan	Columbia R	FER	36.0	707.0	703.0	9920	9490	FERC No 2145	Chln PUD.
Rocky River PS Lk Candle-	CT	Litchfield	Housatonic R	E	142.5	430.0	418.0	5608	4692	FERC 2576	CLPC.
wood.											
Ross Dam & Res	WA	Whatcom	Skagit R	E	1052.0	1602.5	1475.0	11700	4450	FERC 553	Still.
Sanford Dam & Lk Meredith	TX	Hutchison	Canadian R	F	462.1	2965.0	2941.3	21640	17320	PL 81-898	USBR.
				IMCRQ	761.3	2941.3	2860.0	17320	4500		
Savage River Dam & Res	MD	Garrett	Savage R	FMA	20.0	1468.5	1317.0	366	0	PL 78-534	Pmnc Comm.
Scoggins Dam Henry Hagg			Scoggins Cr	FIR	56.3	305.8	235.3	116	4	PL 89-596	USBR.
Lk.											
Shadehill Dam & Res	SD	Perkins	Grand R	F	218.3	2302.0	2271.9	9900	4800	PL 78-534	USBR.
				IQ	80.9	2271.9	2250.8	4800	2800		
Shasta Dam Lk	CA	Shasta	Sacramento R	FEIA	1300.0	1067.0	1018.6	29570	23894	PL 75-392	USBR.
				EIA	3241.0	1018.6	735.8	23894	2200		
Shepaug Dam & Lk	CT	Litchfield	Housatonic R	E	5.0	200.0	172.0	1882	1125	FERC 2576	CLPC.

LIST OF PROJECTS—Continued
[Non-Corps projects with Corps Regulation Requirements]

Project name ¹ (1)	State (2)	County (3)	Stream ¹ (4)	Project purpose ² (5)	Storage 1000 AF (6)	Elev limits feet M.S.L.		Area in acres		Authorizing legis. ³ (11)	Proj. owner ⁴ (12)
						Upper (7)	Lower (8)	Upper (9)	Lower (10)		
Smith Mtn Dam & Res	VA	Bedford	Roanoke R	E	40.8	795.0	793.0	20600	20200	Fed Pwr Act	Appl Pwr.
Roanoke		Franklin									
Stampede Dam & Res	CA	Pittsylvania	Little Truckee R	FEM	22.0	5949.0	5942.1	3430	3230	PL 84–858	USBR.
Starvation Dam and Res	UT	Sierra	Strawberry R	EM	199.4	5942.0	5798.0	3230	210		
Stevens Creek Dam & Res	GA	Duchesne	Savannah River	FIM	165.3	5712.0	5595.0	3310	689	PL 84–485	USBR.
Stevenson Dam Lk Zoar	CT	Columbia	Housatonic R	P	10.5	187.5	183.0	4300	0	FERC 2535	SC E&G.
Summer Dam & Lk	NM	Litchfield	Pecos R	E	5.0	108.0	80.0	1148	516	FERC 2576	CLPC.
Tat Monolikit Dam & Lake	AZ	De Baca	Santa Rosa	FI	51.4	4261.0	4200.0	2835	0	PL 83–780	USBR.
		Pinal	Wash.	FIC	198.5	1539.0	1480.0	11790	0	PL 89–298	BIA.
Tiber Dam & Res	MT	Libert Toole	Marias R	F	400.9	3012.5	2993.0	23150	17890	PL 78–534	USBR.
				FIQ	268.0	2993.0	2976.0	17890	13790		
Trenton Dam & Res	NB	Hitchcock	Republican R	IQ	121.7	2976.0	2966.4	13790	11710		
Turners Falls (Low) Dam & Lk	MA	Franklin	Connecticut R	F	134.1	2773.0	2752.0	7940	4922	PL 78–534	USBR.
				IRC	99.8	2752.0	2720.0	4922	1572	PL 84–505	WMEC
				E	8.7	185.0	176.0	2110	1880	FERC 1889	
Twin Buttes Dam & Lake	TX	Tom Green	Concho R	F	454.4	1969.1	1940.2	23510	23510	PL 85–152	USBR
				IM	150.0	1940.2	1885.0	9080	670	PL 78–534	
Twitchell Dam & Res	CA	Santa Barbara	Cuyama R	F	89.8	651.5	623.0	3671	2556	PL 83–774	USBR
				IM	135.6	623.0	504.0	2556	0		
Upper Baker Dam Baker Lk	WA	Whatcom	Baker R	FE	184.6	724.0	674.0	4985	2375	PL 89–298	Pgt
										FERC 2150B	P&L
Vallecito Dam & Res	CO	La Plata	Los Pinos R	FEI	125.4	7865.0	7582.5	2720	350	PL 61–288	USBR
Vernon Dam & Lk	VT	Windham	Connecticut R	E	18.3	220.1	212.1	2550	1980	PL 68–292	NEPC
Wanapum Dam & Res	WA	Grant	Columbia R	FER	151.6	571.5	560.0	14300	13350	FERC 1904	Grit
										FERC No 2114–B ..	PUD
Wanship Dam & Rockport ..	UT	Summit	Weber R	FEIM	61.0	6037.0	5930.0	1077	121	PL 81–273	USBR
Warm Springs Dam & Res	OR	Matheur	Middle Fork	FICR	191.0	3406.0	3327.0	460	90	PL 78–534	Vale
Waterbury Dam & Res	VT	Washington	Little R	FP	27.7	617.5	592.0	1330	890	PL 78–534	VT
Webster Dam & Res	KS	Rocks	S Fork Solomon	F	183.4	1923.7	1892.5	8480	3772	PL 78–534	USBR
			R.	IRC	72.1	1892.5	1860.0	3772	906	PL 79–526	
										PL 79–732	
Weiss Dam & Res	AL	Cherokee	Coosa R	F	397.0	574.0	564.0	50000	30200	PL 83–436	AL Pwr
				E	148.4	564.0	558.0	30200	19545		Dgls
Wells Dam L Pateros	WA	Douglas	Columbia R	FER	74.0	781.0	771.0	10000	8000	FERC No 2149	PUD

Wilder Dam & Lk	VT Windsor	Connecticut R	E	13.3	385.0	380.0	3100	2240	FERC 1893	NEPC
Yellowtail Dam & Bighorn	MT Big Horn	Bighorn R	F	258.3	3657.0	3640.0	17280	12600	PL 78-534	USBR
Lk.			FEIQ	240.3	3640.0	3614.0	12600	6915		PUD
			EIQ	336.1	3614.0	3547.0	6915	4150		

¹ Cr.—Creek; CS—Control Structure; Div—Diversion; DS—Drainage Structure; FG—Floodgate; Fk—Fork; GIWW—Gulf Intercoastal Waterway; Lk—Lake; L&D—Lock & Dam; PS—Pump Station; R—River; Res—Reservoir

² F.—Flood Control; N—Navigation; P—Corps Hydropower; E—Non Corps Hydropower; I—Irrigation; M—Municipal and/or Industrial Water Supply; C—Fish and Wildlife Conservation; A—Low Flow Augmentation or Pollution Abatement; R—Recreation; Q—Water Quality or Silt Control

³ FCO—Flood Control Act; FERC—Federal Energy Regulatory Comm; HD—House Document; PL—Public Law; PW—Public Works; RHA—River & Harbor Act; SD—Senate Document; WSA—Water Supply Act

⁴ Appl Power—Appalachian Power; Chln PUD—Chelan City PUD 1; CLPC—CT Light & Power Co; Dgls PUD—Douglas City PUD 1; DWR—Department of Water Resources; EB—MUD—East Bay Municipal Utility Dist; GRD—Grand River Dam Auth; Gnt PUD—Grant City PUD 2; Hbl—City of Hamburg; LCR—Lower Colorado R Comm; Reclm B—Reclamation Board; Rkd—City of Rockford; Sfl—City of Seattle; Tac—City of Tacoma; Vale USBR—50% Vale Jr; 50% USBR; WF&CWD—City of Wichita Falls and Wichita City Water Improvement District No. 2; WMEC—Western MA Electric Co; YCWA—Yuba City Water Auth; Yolo FC&W—Yolo Flood Control & Water Conserv Dist.

(Sec. 7, Pub. L. 78-534, 58 Stat. 890 (33 U.S.C. 709); the Federal Power Act, 41 Stat. 1063 (16 U.S.C. 791(A)); and sec. 9, Pub. L. 83-436, 68 Stat. 303)

[43 FR 47184, Oct. 13, 1978, as amended at 46 FR 58075, Nov. 30, 1981; 55 FR 21508, May 24, 1990; 79 FR 13564, Mar. 11, 2014]